

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.06.2025

Version number 1

Revision: 31.05.2025

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

- **1.1 Product identifier**
 - **Trade name: Rapid Refloor Part A Polyol**
 - **UFI: 6Q00-70AS-4009-46XG**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

 - **Application of the substance / the mixture** Two-component adhesive
- **1.3 Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
Manufacturer/Supplier:
METZGER/McGUIRE
Postal Address:
PO Box
Concord, NH 03302
U.S.A.
Shipping address:
807 Route 3-A
Bogen, NH 03304
U.S.A.
Phone: 603-224-6122
Freephone: 800-223-6680
E-Mail: info@metzgermcguire.com

 - **Importer:**
Dr. Schulze GmbH
Bollenberg 10
D-57234 Wilnsdorf
Germany
Phone +49 (0) 2737/5953-0
www.dr-schulze.de
info@dr-schulze.de

 - **Informing department:**
info@dr-schulze.de
Tel. +49 (0) 2737/5953-0

 - **1.4 Emergency telephone number:**
ChemTel Inc.
(800)255-3924 (North America)
+1 (813)248-0585 (International)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - **Classification according to Regulation (EC) No 1272/2008**



GHS09 environment

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 2)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.06.2025

Version number 1

Revision: 31.05.2025

Trade name: Rapid Refloor Part A Polyol

(Contd. from page 1)



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements
Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms


GHS07 GHS09

Signal word Warning

Hazard statements

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Please refer to further labelling elements in section 15 of this safety data sheet, if applicable.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Restricted to professional users.

2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2 Mixtures
Description: Mixture consisting of the following components.

Dangerous components:

CAS: 29253-36-9 EINECS: 249-535-3 Reg.nr.: 01-2119983507-25-X	Isopropyl-naphthalin ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 1, H410	50 - 100%
---	--	-----------

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.06.2025

Version number 1

Revision: 31.05.2025

Trade name: Rapid Refloor Part A Polyol

(Contd. from page 2)

CAS: 25214-63-5 NLP: 500-035-6 Reg.nr.: 01-2119471485-32-X	Ethylenediamine, propoxylated ----- ☠ Eye Irrit. 2, H319	50 - 100%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-X	titanium dioxide ----- ☠ Carc. 2, H351	2.5 - 10%

· **Additional information**

The product contains titanium dioxide, which is suspected to cause cancer if inhaled. This classification is linked to the powder form of this substance. In the present product titanium dioxide is present in a form that excludes emission as dust. When used as intended, a health hazard can be excluded under foreseeable conditions.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

- **General information** Instantly remove any clothing contaminated by the product.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.

· **After skin contact**

Instantly wash with water and soap and rinse thoroughly.
In case of permanent aches and pains please go and see the doctor.

· **After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor.
Remove contact lenses if possible.

· **After swallowing**

Drink copious amounts of water and provide fresh air. Instantly call for doctor.
Do not induce vomiting without medical advice.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **After skin contact:** skin irritation

· **After eye contact:** eye irritation

· **After swallowing:** Gastric or intestinal trouble

· **Danger**

In case of ingestion or vomiting product may enter the lung.
Aspiration may cause pulmonary oedema and pneumonitis.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

Alcohol-resistant foam, extinguishing powder or carbon dioxide. Fight larger fire with water spray.

· **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

· **5.2 Special hazards arising from the substance or mixture**

Inhalation of combustion gases may cause serious health hazards.

During incomplete combustion carbon monoxide can be formed.

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear full protective suit.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.06.2025

Version number 1

Revision: 31.05.2025

Trade name: Rapid Refloor Part A Polyol

(Contd. from page 3)

Wear self-contained breathing apparatus.

- **Additional information**

Collect contaminated fire fighting water separately. It must not enter drains. Provide sufficient fire fighting water retention.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

- **For non-emergency personnel** Avoid contact with the product.

- **For emergency responders** Put on suitable personal protective equipment.

- **6.2 Environmental precautions:**

Do not allow to enter drainage system, surface or ground water.

Inform respective authorities in case product reaches water or sewage system.

- **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of the material collected according to regulations.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

- **6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- **Information about protection against explosions and fires:** No special measures required.

- **Handling**

Do not eat, drink or smoke while working.

Avoid contact with the eyes and skin.

Wash hands during breaks and at the end of the work.

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage**

- **Requirements to be met by storerooms and containers:** No special requirements.

- **Information about storage in one common storage facility:**

Keep away from strongly acidic or alkaline materials and oxidising agents.

Keep away from food, drink and animal feeding stuffs.

- **Further information about storage conditions:** Keep container tightly sealed.

- **7.3 Specific end use(s)** No further relevant information available.

— EU —

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.06.2025

Version number 1

Revision: 31.05.2025

Trade name: **Rapid Refloor Part A Polyol**

(Contd. from page 4)

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:

WEL: workplace exposure limit

OEL: Occupational Exposure Limit

13463-67-7 titanium dioxide

WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ *total inhalable **respirable
---------------------	---

1333-86-4 Carbon black

WEL (Great Britain)	Short-term value: 7 mg/m ³ Long-term value: 3.5 mg/m ³
---------------------	---

- DNELs

29253-36-9 Isopropyl naphthalin

Dermal	DNEL (worker, long-term, systemic)	1.7 mg/kg bw/day (.)
Inhalative	DNEL (worker, long-term, systemic)	6 mg/m ³ (human)

25214-63-5 Ethylenediamine, propoxylated

Oral	DNEL (consumer, long-term, systemic)	3 mg/kg bw/day (human)
Dermal	DNEL (worker, long-term, systemic)	5 mg/kg bw/day (human)
	DNEL (consumer, long-term, systemic)	3 mg/kg bw/day (human)
Inhalative	DNEL (worker, long-term, systemic)	35.2 mg/m ³ (human)
	DNEL (consumer, long-term, systemic)	10.4 mg/m ³ (human)

13463-67-7 titanium dioxide

Inhalative	DNEL (worker, long-term, local)	1.25 mg/m ³ (human)
	DNEL (consumer, long-term, local)	0.21 mg/m ³ (human)

- PNECs

29253-36-9 Isopropyl naphthalin

PNEC aqua (freshwater)	0.00026 mg/L (.)
PNEC aqua (marine water)	0.000026 mg/L (.)
PNEC STP - Sewage Treatment Plant	2.22 mg/L (.)
PNEC soil	0.03915 mg/kg soil dw (.)
PNEC sediment (freshwater)	0.1971 mg/kg sedim. dw (.)
PNEC sediment (marine water)	0.01971 mg/kg sedim. dw (.)
PNEC oral	49 mg/kg food (.)

25214-63-5 Ethylenediamine, propoxylated

PNEC aqua (freshwater)	0.085 mg/L (.)
PNEC aqua (marine water)	0.009 mg/L (.)
PNEC STP - Sewage Treatment Plant	70 mg/L (.)
PNEC soil	0.018 mg/kg soil dw (.)
PNEC sediment (freshwater)	0.193 mg/kg sedim. dw (.)
PNEC sediment (marine water)	0.019 mg/kg sedim. dw (.)

- **Additional information:** The lists that were valid during the compilation were used as basis.

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.06.2025

Version number 1

Revision: 31.05.2025

Trade name: Rapid Refloor Part A Polyol

(Contd. from page 5)

- **8.2 Exposure controls**

- **Individual protection measures, such as personal protective equipment**

- **Breathing equipment:**

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

filter A/P.

- **Hand protection**



Protective gloves.

- **Material of gloves**

PVC gloves

Nitrile rubber, NBR

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection**



Tightly sealed safety glasses.

- **Body protection:**



Protective work clothing.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Physical state**

Liquid

- **Colour:**

According to product specification

- **Odour:**

Characteristic

- **Odour threshold:**

Not determined.

- **Melting point/freezing point:**

Not determined

- **Boiling point or initial boiling point and boiling range**

> 177 °C

- **Flammability**

Not applicable.

- **Lower and upper explosion limit**

- **Lower:**

Not determined.

- **Upper:**

Not determined.

- **Flash point:**

> 190 °C (open cup)

- **Auto-ignition temperature:**

Product is not selfigniting.

- **Decomposition temperature:**

Not determined.

- **SADT**

- **pH at 20 °C**

10 - 12

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.06.2025

Version number 1

Revision: 31.05.2025

Trade name: Rapid Refloor Part A Polyol

(Contd. from page 6)

- **Viscosity:**
- **Kinematic viscosity at 40 °C** > 20.5 mm²/s
- **dynamic:** Not determined.
- **Solubility**
- **Water:** Readily soluble
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Vapour pressure:** Not determined.
- **Density and/or relative density**
- **Density at 20 °C** 1.02 - 1.05 g/cm³
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Particle characteristics** No further details.

- **9.2 Other information**
- **Appearance:**
- **Form:** Fluid
- **Important information on protection of health and environment, and on safety.**
- **Self-inflammability:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive.
- **Change in condition**
- **Evaporation rate** Not determined.

- **Information with regard to physical hazard classes**
- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** No statement can be made on this point due to a lack of studies on the product.
- **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.06.2025

Version number 1

Revision: 31.05.2025

Trade name: Rapid Refloor Part A Polyol

(Contd. from page 7)

- **10.4 Conditions to avoid Heat.**
- **10.5 Incompatible materials:**
Oxidizing agents.
Strong bases
acid
- **10.6 Hazardous decomposition products:**
None in case of intended use and storage in compliance with instructions.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

29253-36-9 Isopropylnaphthalin

Oral	LD50	4,130 mg/kg (Rat) (OECD 401)
Dermal	LD50	> 4,500 mg/kg (Rat) (OECD 402)
Inhalative	LC50	> 5.64 mg/l/4h (Rat) (OECD 403)

25214-63-5 Ethylenediamine, propoxylated

Oral	LD50	> 2,000 mg/kg (Rat) (OECD 401)
Dermal	LD50	> 2,000 mg/kg (Rat) (OECD 402)

13463-67-7 titanium dioxide

Oral	LD50	> 5,000 mg/kg (Rat) (OECD 425)
------	------	--------------------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**
The product contains low concentrations of acidic or alkaline substances that lead to an extreme pH. The specific concentration limits of these substances are undercut or the substances themselves are not classified as corrosive.
Based on an expert assessment, a corrosive effect for the mixture can be ruled out.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

29253-36-9 Isopropylnaphthalin

EC50	0.67 mg/l/48h (Daphnia magna) (OECD 202)
LC50	0.74 mg/l/96h (Oryzias latipes) (OECD 203)

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.06.2025

Version number 1

Revision: 31.05.2025

Trade name: Rapid Refloor Part A Polyol

(Contd. from page 8)

EC50	0.245 mg/l/72h (Raphidocelis subcapitata) (OECD 201)
25214-63-5 Ethylenediamine, propoxylated	
LC50	4,600 mg/l/96h (fish) (DIN 38 412, Part 15)
EC50	150.67 mg/l/72h (Desmodesmus subspicatus)
13463-67-7 titanium dioxide	
EC50	300 - 400 mg/l/96h (Daphnia magna)
	> 100 mg/l/96h (Oncorhynchus mykiss) (OECD 203)

- **12.2 Persistence and degradability** No further relevant information available.
- **Other information:** There are no data available about the preparation.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects** No further relevant information available.
- **Remark:** Very toxic for fish

· **Behaviour in sewage processing plants:**

25214-63-5 Ethylenediamine, propoxylated	
NOEC (3h)	700 mg/l/3h (activated sludge) (ISO 8192)

- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.
Do not allow product to reach ground water, water bodies or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Danger to drinking water if even small quantities leak into soil.
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
The waste code numbers mentioned are recommendations based on the probable use of the product.

· European waste catalogue	
08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.06.2025

Version number 1

Revision: 31.05.2025

Trade name: Rapid Refloor Part A Polyol

(Contd. from page 9)

08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 15*	aqueous liquid waste containing adhesives or sealants containing organic solvents or other hazardous substances
HP4	Irritant - skin irritation and eye damage
HP7	Carcinogenic
HP13	Sensitising
HP14	Ecotoxic

- **Uncleaned packagings:**

- **Recommendation:**

Dispose of packaging according to regulations on the disposal of packagings.

Non contaminated packagings can be used for recycling.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

SECTION 14: Transport information

- **14.1 UN number or ID number**

- **ADR/RID, IMDG, IATA**

UN3082

- **14.2 UN proper shipping name**

- **ADR/RID**

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Isopropyl-naphthalin)
 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Isopropyl-naphthalin), MARINE POLLUTANT

- **IMDG**

- **IATA**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Isopropyl-naphthalin)

- **14.3 Transport hazard class(es)**

- **ADR/RID**




- **Class**

9 (M6) Miscellaneous dangerous substances and articles.

- **Label**

9

- **IMDG, IATA**



- **Class**

9 Miscellaneous dangerous substances and articles.

- **Label**

9

- **14.4 Packing group**

- **ADR/RID, IMDG, IATA**

III

- **14.5 Environmental hazards:**

- **Marine pollutant:**

Symbol (fish and tree)

(Contd. on page 11)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.06.2025

Version number 1

Revision: 31.05.2025

Trade name: Rapid Refloor Part A Polyol

(Contd. from page 10)

<ul style="list-style-type: none"> · Special marking (ADR/RID): · Special marking (IATA): 	<ul style="list-style-type: none"> Symbol (fish and tree) Symbol (fish and tree)
<ul style="list-style-type: none"> · 14.6 Special precautions for user · Kemler Number: · EMS Number: · Stowage Category 	<ul style="list-style-type: none"> Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F A
<ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments 	<ul style="list-style-type: none"> Not applicable.
<ul style="list-style-type: none"> · Transport/Additional information: 	
<ul style="list-style-type: none"> · ADR/RID · Limited quantities (LQ) · Excepted quantities (EQ) 	<ul style="list-style-type: none"> 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<ul style="list-style-type: none"> · Transport category · Tunnel restriction code 	<ul style="list-style-type: none"> 3 (-)
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	<ul style="list-style-type: none"> 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<ul style="list-style-type: none"> · UN "Model Regulation": 	<ul style="list-style-type: none"> UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISOPROPYLNAPHTHALIN), 9, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category E1** Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII**
Taking into account the intended use as specified in section 1, the relevant entries from Annex XVII are carried out.
Conditions of restriction: 3
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
None of the ingredients is listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
None of the ingredients is listed.

(Contd. on page 12)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.06.2025

Version number 1

Revision: 31.05.2025

Trade name: Rapid Refloor Part A Polyol

(Contd. from page 11)

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations**

· **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is contained.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This safety data sheet meets the requirements of Regulation (EU) 2015/830 and 2020/878 amending Annex II of Regulation (EC) 1907/2006.

This data sheet takes into account the labelling requirements of Regulation (EU) 2024/197 adapting Regulation (EC) No 1272/2008 (21st ATP of the CLP Regulation).

· **Relevant phrases**

The phrases specified here are no labelling elements for the product but repeat the properties of the ingredients from section 3.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H410 Very toxic to aquatic life with long lasting effects.

· **Classification according to Regulation (EC) No 1272/2008** Calculation method

· **Department issuing data specification sheet:**



This Safety Data Sheet has been drawn up in cooperation with:

DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,
phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

(Contd. on page 13)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.06.2025

Version number 1

Revision: 31.05.2025

Trade name: Rapid Refloor Part A Polyol

(Contd. from page 12)

vPvB: very Persistent and very Bioaccumulative

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Carc. 2: Carcinogenicity – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

EU